



UL Online Certifications Directory

[Home](#) [Quick Guide](#) [Contact Us](#) [UL.com](#)

ZPMV2.E86240

Wiring, Printed - Component

For enhanced search functionality, please visit UL's [iQ™ Family of Databases](#).

Click on a product designation for complete information.

[Page Bottom](#)

Wiring, Printed - Component

[See General Information for Wiring, Printed - Component](#)

P C B TECHNOLOGIES LTD

E86240

PO BOX 631

10566 MIGDAL HAEMAK, ISRAEL

	Cond Width		Cond	SS/ DSO	Max			Max	Meets	C	
	Min	Edge			Area	Solder	Oper	UL796			T
Type	mm(in)	mm(in)	mic(mil)	DSO	mm(in)	C	sec	C	Class	DSR	I
Multilayer Flexible Materials Interconnect Constructions (FMIC) with Flammability Classification Only..											
PCB-FL	-	-	-	DS	-	288	30	-	V-1	-	-
Multilayer printed wiring boards.											
120	0.28 (0.011)	0.84 (0.033)	33 (1.30) Int:66	DS	76.2 (3.0)	288	10	105	V-0	All	-
130	0.3 (0.012)	0.91 (0.036)	16.5 (0.65) Int:66	DS	76.2 (3.0)	250	5	105	V-0	All	-
130-1	0.10 (0.004)	0.3 (0.012)	16.5 (0.65) Int:102	DS	30.0 (1.2)	288	30	130	V-0	All	-
Single layer Flexible Materials Interconnect Constructions (FMIC) with Flammability Classification Only.											
PCB-FLX	-	-	-	DS	-	288	30	-	V-0	-	-
Single layer printed wiring boards.											
110	0.25 (0.010)	0.76 (0.030)	33 (1.30)	DS	76.2 (3.0)	288	10	105	V-0	-	-

Marking: Company name or tradename "PCB" or file number and type designation. May be followed by a suffix to denote factory identification or burning test classification.

[Last Updated](#) on 2013-11-27

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2014 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2014 UL LLC".